Thy Break

HARNESS, DICKEY & PIERCE, P.L.C.

Attorneys and Counselors 5445 Corporate Drive, Suite 400 Troy, Michigan 48098-2683 Phone: 248-641-1600 Figs: 248-641-0270

St. Louis, MO . Washington, D.C.

	ji i	
DATE: April 4, 2003		No. of Pages (including This Page): 5
For: Examiner James R. Harvey		ORIGINAL WILL FOLLOW BY:
COMPANY: USPTO - Unit 2833	L	OVERNIGHT MAIL
Fax No.: 703-746-4151		HONE: WILL NOT FOLLOW
	<u> </u>	
Fном: Dean W. Amburn		
Please let us know	у	phone or fax if you do not receive any of these pages.
COMMENTS:		
Re: Serial No. 09/955,919 filed Septemb Apparatus for Aircraft Seat Connector Into	er erf	19, 2001 ace to Portable Electronic Devices
Dear Examiner Harvey:		
Please see attached proposed claim ame interview to discuss the proposed claim a	nc m	ments. Please call me with a date for a telephone ndment.
Regards,		
Dean W. Amburn		
	F	

NOTICE * *

The information contained in this telefax transmission is intended only for the individual to whom or entity to which it is addressed. It may also contain privileged, confidential, attorney work product or trade secret information which is protected by law. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering the message to the addressee, the reader is hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify us by telephone and return the original message to us at the address above via the U.S. Postal Service. We will reimburse you for any reasonable expense (including postage) for the return of the original message.

P.2/5

PROPOSED AMENDMENTS TO THE CLAIMS

The f llowing listing of claims will replace all prior versions and listings of claims in the application.

LISTING OF CLAIMS

1. (Currently Amended) A connector module adapted to be integrated disposed into an interior compartment of a mobile platform, and integrated into adjacent a seat of the mobile platform for connecting a portable electronic device to a power source and a network located on-board the mobile platform, the connector module comprising:

a housing adapted to be connected disposed adjacent to a portion of a seat of the mobile platform, wherein the seat comprises a seat cushion, a seat frame and a seat armrest;

a networking port disposed in the housing adapted to couple the portable electronic device to the network for providing network connectivity of the portable electronic device wherein the network is on-board the mobile platform; and

a power port disposed in the housing adapted to receive a DC power cable of the portable electronic device for providing power to the portable electronic device.

- 2. (Original) The connector module of claim 1 wherein the networking port comprises a Universal Serial Bus port
- 3. (Original) The connector module of claim 1 wherein the networking port comprises a RJ-45 port.

- 4. (Original) The connector module of claim 1 wherein the power port comprises a 15 volt DC power connector.
- 5. (Previously Amended) he connector module of claim 1 wherein the power port comprises a multi-pin power connector.
- 6. (Original) The connector module of claim 1 wherein the power port and networking port are disposed in a common wall of the housing.
- 7. (Original) The connector module of claim 1 wherein the network is of the type selected from the group consisting of a local area network (LAN), a wide area network (WAN), internet, an intranet, and combination thereof.
- 8. (Currently Amended) A connector module disposed on a seat of a mobile platform for providing a plurality of connectivity options for connecting a portable electronic device to a power source and network located on-board the mobile platform, the connector module comprising:

a housing adapted to be connected soupled to a seat within the mobile platform aircraft to as to be readily accessible by an occupant of said seat while said occupant is seated in said seat, wherein the seat comprises a seat cushion, a seat frame and a seat armrest;

a first networking port comprising a Universal Serial Bus disposed in the housing adapted to couple the portable electronic device to the network for providing network connectivity of the portable electronic device, wherein the network is located on-board the mobile platform alreraft;

a second networking port comprising an RJ-45 port disposed in the housing adapted to couple the portable electronic device to the network for providing network connectivity of the portable electronic device; and

a power port disposed in the housing adapted to receive a DC power cable of the portable electronic device for providing power to the portable electronic device.

- 9. (Currently Amended) The connector module of claim 8 4 wherein the network is of the type selected from the group consisting of a local area network (LAN), a wide area network (WAN) and an intranet.
- 10. (Currently Amended) A connector module for use by an occupant in a seat of an aircraft for providing for connecting a portable electronic device to a power source and a network located on-board the aircraft, the connector module comprising:

a housing <u>connected</u> coupled to a seat of the aircraft that is accessible by the occupant of the seat while the occupant is seated in the seat, wherein the <u>seat</u> <u>comprises a seat cushion</u>, a seat frame and a seat armrest;

a first networking port comprising a Universal Serial Bus disposed in the housing adapted to couple the portable electronic device to the network for providing network

NESS, DICKEY & PIERCE TROY MI

connectivity of the portable electronic device wherein the network comprises an onboard network;

a second networking port comprising an RJ-45 port disposed in the housing adapted to couple the portable electronic device to the network for providing network connectivity of the portable electronic device; and

a power port disposed in the housing adapted to receive a DC power cable of the portable electronic device for providing bower to the portable electronic device.

- (New) The connector module of claim 1 wherein the housing comprises a 11. cable.
- (New) The connector module of claim 1 wherein the housing comprises a 12. base housing and a cable wherein the base housing is connected to the seat and the cable is connected between the base indusing and the housing.